

7-15-88

STD ERM Protocol

△ ASSUMPTIONS

- VIEWER has to have had relat. TR. (ACS) - ^{one form} - ^{step process}
- self conducted
- no tab. atm.

Pictured

one type (of many) for type of session.

- interview

I → A

gives an envelope ... (on encl. out)

inference of request.

+ real coord as outside

- 3x5 card with questions targeted

+ back. att.

- encrypts it.

I

2.

"Target is in Envelope."

]

Seq.

3.

the target envelope ... on a holder

4.

Run to going in

done / detected
physical artifact
(well)

5.

drop ... relight on

can note with

6.

6. Vienna Talks

7. (or 1 year...) MID Zone ACS - a sanctuary

→ Ref. to inv. somewhere is a place where you feel safe in -

trip... → no description.
~ xfer → go back to place

then, Gen Enrypt ~~RT~~ coord -

→ gen. description.
→ →

they talk: → stop only when re analytical (next RT RT)
10- -- wh -- no analysis -

(Break it down = characteristics of -
- describe it =

0
00 IF2
FFRT, OK, 1F left (stop).

4.

- ± like 14-session destructor.

- 14 sessions... ≡

next phase

→ ok... managing... wire draw
- go back to 'S'

- ± into separate gestalt.

- Now in Sanc... Now recall what you have seen

^{gestalt}
Lick in MIV... so have more left brain in it.

Engels... Now... Put together...
- analysis occurs

↳ back at
→ Now draw

which is 75-25% STC - - into 14 or Narrative form

0
0

Now put in recalling form... + 1st session

☐ what was given to V₁ to I -

□ knowled^{of car} target increase with sens. #.

⇐ time frame - - area 2 extra sessions

↙
but... tried diff... lim time... just more
data.